APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office	UG 1 6 1959			
	rned to applicant for correction	(* N 7 1070			
		MAR 9 1970			
	filed	MAR a 1970			
•	=				
		y Filippini			
		, County of,			
State	of	, hereby make application for permission to appropriate the public			
wate	rs of the State of Nevada, as hereinafter	stated. (If applicant is a corporation, give date and place of incorpora-			
tion;	if a copartnership or association, give na	ames of members.)			
1.		on is Filippini Well No. 1 Name of stream, lake or other source.			
2.		. 5 One second-foot equals 448.83 gals, per min.			
	(a) If stored in reservoir give number of	f acre-feetacre-feet			
3.	The water to be used for stockwat	ering purposes Irrigation, power, mining, manufacturing, domestic, or other use.			
4.	If use is for:	, p ,			
	(a) Irrigation (state number of acres to be irrigated).				
	(b) Stockwater (state number and kinds of animals to be watered) 300 head of cattle				
	(c) Other use (describe fully under "No. 11. Remarks")				
	(d) Power:				
	(1) Horsepower developed				
	(2) Point of return of water to stream				
5.	The water is to be diverted from its sour	rce at the following point: NE NE Section 13, T. 25 N.,			
•	R. 44 E., M.D.B.&M., or at a Describe as being within a 40-acre subdivision of Section 13 bears N 64° 06' E	point from which the northeast corner of said of public survey, and by course and distance to a section corner. If on unsurveyed land,			
6.	it should be stated. Place of use At Point of Divers	sion. It is on unsurveyed land as near as could e by legal subdivision, if on unsurveyed land it should be so stated.			
		e maps of the area.			

7.		and end about December 31st , of each year.			
8.		the provisions of NRS 535.010 you may be required to submit plans			
	and specifications of your diversion or	storage works.)Well and windmill; metal tanks and			
	troughs and dam. State manner in which water is to be diverted,	whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.			

	Estimated cost of works \$500.0		
10.	Estimated time required to construct wo	orks completed	
11.	Remarks From data available	it has been determined that T. 25 N., R. 44 E.	,
4 .	remains Un-surveyed. T 25 N.	, R 45 E., M.D.B.&M., is surveyed or rather	was
** 1	surveyed in June 1925.	<u>and the second of the second </u>	
	<u></u>		

Appl	dicant Henry Filippini		
Com	nored jls/dc jw/hs	By s/W. H. Settelmeyer W. H. SETTELMEYER, Agent P.O. Box 349	
Com	-=	E1ko, Nevada 89801	
	APPROVA	LOF STATE ENGINEER	·
	This is to certify that I have examined t	the foregoing application, and do hereby grant the same, subjectively	ect to
rig gra obt	thts on the source. It is inted is only a temporary cained under this permit w	s permit is issued subject to all exist understood that the amount of water allowance and that the final water rivill be dependent upon the period of untile served from the waters of this served.	her ght se
It.	is further understood tha	t this right must allow for a reasona	ble
Low	vering of the static water	level at permittee's well due to any	ot
gro	ound water development in	the area	Wi
	***************************************	the area. The well shall be equipped	:::.
a 2		ng depth to water. If well is flowing	
	-inch opening for measuri	ng depth to water. If well is flowing	īd.
val	eduction opening for measuring to must be installed and in	ng depth to water. If well is flowing maintained to prevent waste. The Sta	ıg, ıte
val ret	eduction ending for measuring to measuring the must be installed and make a substitution and make the right to regulate	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted	ng, nte lat
val ret any	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of	ng, nte lat
val ret any	e-inch opening for measuring ve must be installed and national tables and all times, but does not be range.	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of	ng, nte lat
val ret any Fed	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does not be range.	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the water herein granted and take responsibility for the use of the water herein granted and take responsibility for the use of the water herein granted and take responsibility for the use of the water herein granted and take responsibility for the use of the water herein granted and the water here	ng, nte lat of t
val ret any Fed	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does a leral range.	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of th	ig, ite lat of t
val ret any Fed The a	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does a level range. amount of water to be appropriated shall to exceed 0.0282	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second. Or sufficient was a suffi	use, a
retany Fed The anot to	e-inch opening for measuring versus the installed and rains the right to regulate and all times, but does real range. amount of water to be appropriated shall to exceed 0.0282 water 300 head of cattle	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second . Or sufficient waste.	use, a
retany Fed The anot to	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does made and all times, but does made and range. amount of water to be appropriated shall to exceed 0.0282 water 300 head of cattle all construction work shall begin on or before	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient was fore. February 17,	use, a
retany Fed The anot to	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does made and all times, but does made and range. amount of water to be appropriated shall to exceed 0.0282 water 300 head of cattle all construction work shall begin on or before	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second . Or sufficient waste.	use, ate
retany Fedo The anot to	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does deral range. amount of water to be appropriated shall to exceed 0.0282 water 300 head of cattle all construction work shall begin on or before of commencement of work shall be filed to the commencement of work shall be	ng depth to water. If well is flowing maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient was fore. February 17,	use, a
retany Fed The anot to Actua Proof	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does mand all times,	maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient was fore. February 17, before March 17,	use, a 197
retany Fed The anot to to v Actua Proof	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does deral range. amount of water to be appropriated shall be exceed 0.0282 water 300 head of cattle all construction work shall be filed by the formula of completion of work shall be filed before the formula of completion of work shall be filed before the completion the completion of work shall be filed before the complet	maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient was fore. February 17, before March 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and be completed on or before February 17, gence and the completed on or before February 17, gence an	use, a 197
retany Fed The anot to to v Actua Proof Work Proof	e-inch opening for measuring ve must be installed and mains the right to regulate and all times, but does a leral range. amount of water to be appropriated shall be exceed 0.0282 water 300 head of cattle all construction work shall be filed by the formula of the commencement of work shall be filed by the formula of the completion of work shall be filed before the completion of work shall be filed before the completion of work shall be filed before the completion of water to beneficial use shall be	maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second , or sufficient was fore. February 17, before March 17, gence and be completed on or before February 17, ore March 17,	use, a 197 197 197
retany Fed The anot to to y Actua Proof Work Proof	e-inch opening for measuring ve must be installed and rains the right to regulate and all times, but does deral range. amount of water to be appropriated shall be exceed 0.0282 water 300 head of cattle all construction work shall begin on or before the force of commencement of work shall be filed before the completion of work shall be filed before the completion of water to beneficial use shall be for the application of water to beneficial use shall be	maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient was fore. February 17, before March 17, gence and be completed on or before February 17, made on or before February 17,	use, a 197
retiany Fedo The anot to to to Actua Proof Work Proof Appli Proof	e-inch opening for measuring ve must be installed and rains the right to regulate and all times, but does deral range. amount of water to be appropriated shall be exceed 0.0282 water 300 head of cattle all construction work shall begin on or before the force of commencement of work shall be filed before the completion of work shall be filed before the completion of water to beneficial use shall be for the application of water to beneficial use shall be	maintained to prevent waste. The State the use of the water herein granted not take responsibility for the use of the limited to the amount which can be applied to beneficial cubic feet per second or sufficient waster. February 17, before February 17, before March 17, gence and be completed on or before February 17, made on or before February 17, use shall be filed on or before March 17, be filed on or before March 17, In the filed on or before March 17, State Engineer of Nevada, have hereunto set my hand and the my office, this 17th day of August	use, a 197. 197. 197. 197. 197. 197. 197. 197.

۲5.

**

Exhibit A

This application is to supplant the application of Martin Filippini, Serial No. 7407, filed June 26, 1925, for the reason that it has become impossible to build a chain of title on the application in the State Engineer's Office.

The well was constructed on or before June 26, 1925, and consisted of a hand-dug well approximately 10 feet deep and 5 ft.x5ft. in width. It has been used at all times since its construction solely for stock-watering purposes, and is not an artesian well per the definition thereof contained in the Underground Water Law, NRS 534 et seq., for the reason that the static water level does not stand higher than where the water was first encountered.

Accordingly, Applicant asserts a vested right to the well, which he is not waiving by this application. Applicant recognizes the burden upon the State Engineer's Office of Applicant's request for adjudication of a vested water right for a matter of this size and has practically adopted the formula of this application for the purpose of documentation. In the event of any protests or contests in the future, Applicant reserves the right to assert his vested right and require adjudication thereupon.

25 3 3

instance of the page

WILSON AND WILSON Attorneys At Law Elko, Nevada